	мĄ	244	. I	ton	em	ĸ	8																																			
	ĮV. S																																									
	(и. С	bsen	-ban	ı	she	4 ¹	Tre. Her	. er e	uni ne	:ns : "	is d wip	bs eni, L	y . , .	n N	este c ure	-eng Wiy	es: m	eng 1	l cl riabl	izu es j	en 1 pre	pe. il in	ines vert	nyshyr ets	mee mirq	no	e u . uh	d g me	iose ip b	ente e-er e	prober n te	e ju se	n s w	mple vereb	y s ies e	11-t -5	cre y n	the f	nt i ven	v yns, r.	
	þ.	Exp.	.in	ol	æ	ign	:	Tre	ř۴	eng	-ie	י בי	u-er	i Y	men	'n≻≁	3	æ	u	ieble	er	1 0	bsu	۲ ۲	u e	egen	en	ens	tler	1 vi	ble .							!	/			
	C.	Obse Obse	-	ml al	57	enely M	, <u>'</u>	Tu Tu		þon.	- 'l	. £4		. U	b su 14	ב ב	end	ve (me		5. 1	te end		mpe	-)) S	rles	ver	li y	Jun	er er	uh ca	بند) اسا	thut	sole	yde see	^{وم} .	/ <i>M</i>	ubles.	,			
		Upart.				7		w	her	1 '	-e M	Veri	uble	-J 1.				J		- 6		9	37		Carta		m					wa			gace		urti	we	cutiv	μų		
e	2. L	rbsun	shre	ı	5te	ey :	-	Tre.	cun	putse	me ,	y	em	Ч	nt	لع ا	by	<u></u> ч и	d	yı	ۍ م	ven	ure	L	ek	y.he	- J	s b	usul	m	Not	uy a	renon	<u>م</u> ا	hyes	. .	Hherq	t cu	y n	richles	berg	,
1). U	zen	unl	, c	.Iul	۲ ^۱	си Т	e dul	y u mle	denij V t	r <i>lutu</i> is	ال ال منابع	η - γ	ore. ubse	ru vy	ered end	ku. Lv	en	lvuq	-81	L 0	mny	e	y	wint	Lu	in c	v) en	e .	surs	we	unt	curt	zely	wenp	ung	, er	y v	risble	s.		
/						1						,			V				J						0									1								
ı	v. 2.	6		c										7																												
		с.		Su Tr	ue me			e t	9 ;	13	.4	<u>بر</u> ۲۰	7	. 3.94																												
				ية م	inn	r :		3. 4	s 1	26. 45	з 	U. 7	7																													
		<u></u>	Tre C.	n	ub	. y		ter		ц.	imr	luch	- in	- 1	×e	exp	ninte	e	ù	gre J	~ J	Y :	y .	ju	Tur	turt:	pl	s o	c :	6+	• 1 =	7										
		. (7 .u	A :	а С)	Ff	-lc Fi	, 4-en	ייעי ייעי	v. -ub	ay: ariu	r t 1	6. 33	.	3.9	77																										
				ŕ	<u>م</u> ر	× ne	U.	9961 1- C	9 :>F	- 1-	- 0.9	m6 =	. <i>(</i>). (30	4																												
								4	: u : V	و . د	/																															
				_				He	we	Hv																																
				' t)	n v Tru	den lin [.]	rs 1e	the C	14 27	e e Yr	ure me	r dij	nide Yere	ور ع س سوس	uj~ c	iende ander	е У -	dele slæ	re																							
				۴ľ	n 6	it u	n	n	ens.																																	
		rl.	r	u	L :	e v.	. vv	380 g	<i>r</i> .																																	
			IJ s e	tu ext	e une		h u	n m	ene 3	i i ex	i 1 teu	re v	stre -the	-1	tien Ve	r is ve	w	e	y w hre	د ہو۔ ک	certo	rey desid	-#0 (e f fun	nyne . u	rou N	ne. Sup	uri. Ke ci	te hen.	1 4 . i	ri e	. 0.	38%.	ch	ne.	g	ubs en	<u>ป</u>	u ta	t s	nn	

, 91		3:4	Frank	тр.	urt.			Tout	m	br i	0	been	vus :	3 x	4 × 4	2 = 2	4					
a.	Sure		orj	55	MS	F		-		V												
	k	· · ·	2	U. B	0.4	د																
	ß		3	5.3	1.77	3 ∙ 2∫																
	As		6	9.6	1.6	જ																
	Eur		1 2	2.4	يد .ن																	
	Tool		પ્ડ	(B.)																		

b. In a first of Adriant. the sun of squares for surfacent is sopridly the comband sun of squares for control of the first and there interested. SS. Turnent = SS. 41 + SS. VIS + SS. 4163 : 0.8 + 5.3 + 9.6 = 15.7.

Fun $A^{(1)}_{1}$ of (2, 12), $cpf \approx 0.842$, $proder (A) \approx 1 \cdot 0.842 \approx 0.78$. Fun $B^{(1)}_{2}$ of (3, 12), $cpf \approx 0.998$, $proder (B) \approx 1 \cdot 0.998 \approx 0.002$. Fun $AB^{(1)}_{2}$ of (6, 12), $cpf \approx 0.978$, $proder (AB) \approx 1 \cdot 0.998 \approx 0.002$.

Some se prober for it will the worker one los show the sopplime lood (ar: 0.05), we upled the the for the forme forme, indicating the the second

However. the proble for A . 01783 is given the supprise level. so ne fil to reject the Ho for this further indicating the the

C. Yes.

The pulse for free Bul AB use book bis these alph level. which led is a refue the Hu. The sport the tol of free Bul the inducer beaun A al B here a spriftime effect on the impuse withle.

Given suse vales, it while be wellerthe to called from only to instigute the signifier effects obsend. Springery, pirt-her tots culd be conduced to invertigence which springer leads of from B ord which springer instructures been from A and B we concidency to one obsend abifumius in the conductor proofs.

ch. Finn interestin in en equivant vefs is the situation where the effect of one from an inlegalent couple, on the interested the dependent verible, depends on the load of envolu from In other unds, the import of changing on from only change depending on the lead of write from

The partial implication of free intervation is that it can compliance the indepeteters of the versets of an experiment. If then is a significant intervation because frees. It where the effect of we found curve be considered independently of the ode free. The can be providely improved in the design of stagens as intervatives built a the combes the experiment.

C. june AB 20002. capte lad worr. -> Hejed the well by workers.

The suggeres that the is a spijhor intensive effect between Jules A we is an the response when. In other webs. the effects of we furth an the response where sheppeds in the lad of the other fure. The mean that the fure A we B als not independent effect the response where. But whose their effects we interconnect.

J. Gren see welt it while be weakwarke to ender Jush toring to invergence the interview effect in more check. Spripetty, per-loc tote cubil be calcul to docume which sprifter lads of Jush A al Jush B we carebrary to the check interview effect.

- a. If some is a project school we because produce and the court are court of justice representation proved on the interdant to produce a for and prochest deputs on the level of problem should not received.
 - i.e. : A figue but y JRP -> Inner menon to preserve a for twee police. wy news see WEED is also lights.
 - A ligher land of NRP -> Line effer in the interver to produce when see produce used is makine, but a sportial cities and the produce when see is light.
 - Singers to premie the premie of for-till produces may wel to curren both SRP and NEED, when the considering each for in indeterm.
 - b. p-ule (\$\$1/2 \$ \$1652) =0.000 The supper that them is a significant intervance effect bornom \$142 un the intervan to prefuse colopier buil w. v1) a for-rule product. In other rule, the effect of one form on the intervance or forthe just the Ho. take product chegods on the lead of the other form.
- C. No. The when efforts of prote from , skip wel WEED) are we subscribly significate product and 0.467). The software she , an annuge , minder from her a significat effort on the preservan to produce a for-rule product when we considering the back of the over from.
 - Give save. It used be cyful the represent the olivie cyfur in the case which we be as infuntre as allowed. some se spirime
 - The firs upper be poor plut in the interior eyes and its interpretation.
- el. Je "X" supe sun an shal se estal y ne pre vierpon as prehue a far-ade pular depute an se had y se othe fuer NEED).
 - Mobule 11/25 lul: Inne JHP -> Inne prenny High NEED lul: Innene 14p -> Denne marcher.

w.99.

The voul excluse suppose se cucher we fin por b. where we injust see No for se incuran sure but in see p-use fin se Arrist able.

e. Te doupon of se ple as an 'X' shipe suggers that see prous of the interview might indeel be caussing with the rescenter's hypoter. The curvity be of an 'X' shipe sugger that see effect of one futur versus depending as the back of the other futur, which is white the rescuries publics.

a. pube ju se menter ture Cup & Cul = 0. 247.	The soften the	t there is not a	signifance incurren	et ve bearies	Gup we have at +
> upp but ru. ws	enn. In othe	- mile. the effect	y being a where	gue pyra u	a un - soler que
Ful to uport the sel lyportuis.	player en ere pr	ercueze enn dos	as we depend in	whereas the la	d is low a light.

- b. pruse je se Goop mein afre 20.049 > app bet 10.003 Fut en approxis en is not a septime entrone in se men pruse ener Fut en upre se us approxis. y betwee video que physis ent un-voleo que physis, anegal cuosis se bals y bool.
- C. p-ulie ju de lul win effet is bit dans In oker wels. Der er vielen grue plyn er a non-rolen grue plyn elan we hare er v. voos. Lalpin lul w. w)
 - He jud se uit hiposters. The suggests that there is a significat difference in the man permage even becomes the on hil wil high had conditions, megad counts the graps of video gree physics and ch Bud in the works of Anorth tuble! non-where physics.
 - . No signifind ubin eftet of Emp prube = v. aqq). In ober why, the but of bud low a high, hus a significant effect on the . On wye. Vap don't pripad provide each when at cashing whether the julial is a voleo give physic significant bedres and the or with-rideo give physic. jordinalial blabors that an 10kp.
 - · Signand when early of had aparties or woods

So, but ut sure unter, we at me the evidence to signt sure this popul both in see incurrent blockers to this Maps.

10.36.

10. WO

a. Awart ebk.

Sme	ett	ى	ms	ŦP	SSTO: ZA ZA VII- I)
Sendy Crelith	ч <u>2</u>	52-52	269.26	5.40 0.021	SSE= Zin Zj+1 ×/1- y,1
Emr	12	586. Jo	43.91		SSTK : SSTO - SSE
Toul	14	145.42			* Zi+ Zj+ (y; -y)
					Curputer trul Junders 1
p-uhe = 1- ce	≻F⊥Fymms. oyzm				SSTO: I' Z' Yi - (Z' Z' Yi)
: - <i>C</i> 2.	F I tz.12 , 5.90.]: (40,00)			SSE = Zin (NI-1) Si
SSTO = 43.68 + 8.1	\$8° + 3.48 + 12	. vy =+ 3.46°,			SSK + SSTO - SSE .
- \ 2568+	8.88+ + 12.0	¥ + 3.46) ±			
= 115.42					
Su = 77. 12 . Su	· 53. 24 , Sus	-16.46			

SSE = 15-11 × 27. 02 + 15-11 × 53. 24 + 15-11 × 16.46 = 586.40

SSK = 1115.42 - 586.90 = 528.52

b. Tuky cupline intents:	. Diffunce borner W	B not \$5. City introdes 10 : 116	sy dint difere bearing the den	m y 115 m					
	د مسلح کک								
$(\overline{\gamma}_i - \overline{\gamma}_i) \pm \frac{q_a}{N_a} \hat{G}_N \frac{1}{m_i} + \frac{1}{m_i}$	· Jiyoure beaun a	15 end 125. Ce also up inhole c	: The is signifient difference between to	se were of					
â . 	NS we its graps.								
G * JPLE	· jryoure permus SS	ul US. CI clog up US	The is a styling chillence between .	the mens of					
$\gamma_{M2} = (1, 1), \gamma_{M2} = (9, 54), \gamma_{SS} = 6.1S$	as and DS graps.								
B= 1,99 . 0. = 2,49 . M= M= 5									
CIWS & - 1-23 = (344) 6 49 / +++									
= \- 8.62, 5.16)									
CILL 1/2: 13.41 ± 1 3.47 6.99 1 ± + ±									
- (6.42. 20.40)									
249									
CINS. DS= 11.58± (==)6.99 J=+5									
= 4.57 · 18.57).									